

MINWAX CO -- MINWAX WOODSHEEN RUBBING OIL STAIN & FINISH/705 NATURAL --
8010-00F056014

=====
Product Identification
=====

Product ID:MINWAX WOODSHEEN RUBBING OIL STAIN & FINISH/705 NATURAL
MSDS Date:03/03/1995
FSC:8010
NIIN:00F056014
MSDS Number: CGWCL
=== Responsible Party ===
Company Name:MINWAX CO
Address:15 MERCEDES DRIVE
Box:438
City:MONTVALE
State:NJ
ZIP:07645-5000
Country:US
Info Phone Num:201-818-7500/201-391-0253
Emergency Phone Num:201-391-0253/201-818-7500
CAGE:E0256

=== Contractor Identification ===

Company Name:MINWAX CO
Address:15 MERCEDES DR
Box:438
City:MONTVALE
State:NJ
ZIP:07645
Country:US
Phone:800-523-9299/201-391-0253
CAGE:E0256
Company Name:MINWAX COMPANY
Address:10 MOUNTAINVIEW ROAD
Box:City:UPPER SADDLE RIVER
State:NJ
ZIP:07458
Country:US
Phone:800-523-9299/216-566-2917
CAGE:0K1A4

=====
Composition/Information on Ingredients
=====

Ingred Name:STODDARD SOLVENT (PETROLEUM DISTILLATE), MINERAL

SPIRITS

98-1

CAS:8052-41-3

RTECS #:WJ8925000

Fraction by Wt: 55-75%

Other REC Limits:525 MG/CUM

OSHA PEL:500 PPM

ACGIH TLV:100 PPM

Ingred Name:THIXOTROPIC MEDIUM OIL ALKYD RESIN

CAS:72480-46-7

Ingred Name:MEDIUM OIL ALKYD RESIN

CAS:67762-09-8

Ingred Name:SOYA BASED ALKYD RESIN

CAS:68038-15-3

==== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:SKIN: IRRITANT. INGESTION:
HARMFUL/FATAL.

Explanation of Carcinogenicity:NONE
Effects of Overexposure:IRRITATION.
Medical Cond Aggravated by Exposure:PRE-EXISTING LUNG DISORDERS.

==== First Aid Measures =====

First Aid:INHALATION: REMOVE TO FRESH AIR. SKIN: WASH THOROUGHLY W/
SOAP
& WATER. EYES: FLUSH W/PLENTY OF WATER. INGESTION: DON'T INDUCE
VOMITING. OBTAIN MEDICAL ATTENTION IN ALL CASES.

==== Fire Fighting Measures =====

Flash Point Method:SCC
Flash Point:>101F
Extinguishing Media:WATER SPRAY, FOAM, DRY CHEMICAL/CO2.
Fire Fighting Procedures:WEAR SCBA & PROTECTIVE CLOTHING. USE WATER
SPRAY TO COOL CONTAINERS. DON'T USE A DIRECT STREAM OF WATER.
Unusual Fire/Explosion Hazard:COMBUSTIBLE. PRODUCT MAY FLOAT & CAN BE

REIGNITED ON SURFACE OF WATER. CONTAINERS EXPOSED TO INTENSE HEAT CAN BUILD UP & RESULT IN CONTAINER RUPTURE.

===== Accidental Release Measures =====

Spill Release Procedures:SMALL: ABSORB W/SAND/OTHER SUITABLE MATERIAL, THEN PLACE IN A CONTAINER FOR DISPOSAL. LARGE: EVACUATE AREA, MAY BE SLIPPERY. DIKE AROUND W/ABSORBENT MATERIAL & TRANSFER LIQUIDS & CONTAMINATED MATERIAL TO SEPARATE, SUITABLE CONTAINERS FOR RECOVERY.

===== Handling and Storage =====

Handling and Storage Precautions:DON'T USE/STORE NEAR HEAT/SPARKS/FLAMES/OTHER SOURCES OF IGNITION. CLOSE CONTAINER AFTER EACH USE. IF USING INDOORS, OPEN ALL WINDOWS & DOORS.
Other Precautions:CONTAINS MINERAL SPIRITS. AVOID CONTACT W/SKIN & EYES. DON'T TAKE INTERNALLY. AVOID INHALATION & USE ONLY W/ADEQUATE VENTILATION. KEEP OUT OF REACH OF CHILDREN.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:AVOID INHALATION.
Ventilation:ADEQUATE. IF USING INDOORS, OPEN ALL WINDOWS & DOORS.
Protective Gloves:RUBBER
Eye Protection:SAFETY GLASSES
Supplemental Safety and Health

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:300F
Vapor Pres:<55
Vapor Density:4-8
Spec Gravity:0.823-0.914
VOC Pounds/Gallon:592
Evaporation Rate & Reference:(BU AC = 1): <1
Solubility in Water:INSOLUBLE
Appearance and Odor:COLORED VISCOUS LIQUID W/PETROLEUM SOLVENT ODOR
Percent Volatiles by Volume:60-72

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

STRONG OXIDIZING AGENTS.

Stability Condition to Avoid: HEAT, SPARKS, OPEN FLAME/OTHER SOURCES OF IGNITION.

Hazardous Decomposition Products: THERMAL INCOMPLETE COMBUSTION: HYDROCARBON FUMES, SMOKE, CO.

=====
===== Disposal Considerations =====

Waste Disposal Methods: DISPOSE OF IAW/FEDERAL, STATE & LOCAL REGULATIONS.

=====
===== Other Information =====

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.