

JWX 04576

**Johnson wax**

Material Safety Data Sheet

**BRAVO HEAVY DUTY LOW ODOR STRIPPER**

|                                             |             |                                              |                                                                                                             |
|---------------------------------------------|-------------|----------------------------------------------|-------------------------------------------------------------------------------------------------------------|
| National Fire Protection Association (NFPA) | Fire Hazard | Hazardous Material Information System (HMIS) | 3                                                                                                           |
|                                             | Health      |                                              | 0                                                                                                           |
|                                             | Reactivity  |                                              | 0                                                                                                           |
| Specific Hazard                             |             |                                              |                                                                                                             |
| Protective Clothing                         |             | Emergency Overview                           | Clear Liquid. See Section 9.<br>DANGER. CORROSIVE. CAUSES EYE AND SKIN BURN. HARMFUL OR FATAL IF SWALLOWED. |

**Section 1. Chemical Product and Company Identification**

|                                                                                                                                                                         |                                                                                                                                                                       |                      |                    |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|--------------------|
| Product Name                                                                                                                                                            | <b>BRAVO HEAVY DUTY LOW ODOR STRIPPER</b>                                                                                                                             | Code                 | 4576 & 4583 & 4588 |
| Product Use                                                                                                                                                             | Industrial/Institutional; Floor care. This product is intended to be diluted prior to use.                                                                            | PMS#                 | 455721             |
| MSDS#                                                                                                                                                                   | 114585005                                                                                                                                                             | Validation Date      | 1/29/2003          |
| U.S. Headquarters<br>Johnson Wax Professional<br>8310 18th Street<br>Sturtevant, Wisconsin 53177-0902<br>Phone: (888) 352-2249<br>MSDS Internet Address:<br>www.jwp.com | Canadian Headquarters<br>Johnson Wax Professional<br>100 Matheson Blvd. East, Suite 203<br>Mississauga, Ontario L4Z 2G7<br>Phone: (905) 755-0913 or<br>(888) 746-5971 | Print Date           | 1/29/2003          |
|                                                                                                                                                                         |                                                                                                                                                                       | Supersedes           | 4/5/2002           |
|                                                                                                                                                                         |                                                                                                                                                                       | In Case of Emergency | (800) 451-7145     |

**Section 2. Composition and Information on Ingredients**

| Ingredients      | CAS #     | % by Weight | Exposure Limits                                                                                                                                                       | LC50/LD50                                                                              |
|------------------|-----------|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|
| Monoethanolamine | 141-43-5  | 1-5         | OSHA (United States).<br>TWA: 8 mg/m <sup>3</sup><br>STEL: 15 mg/m <sup>3</sup><br>ACGIH (United States).<br>TWA: 7.5 mg/m <sup>3</sup><br>STEL: 15 mg/m <sup>3</sup> | ORAL (LD50): Acute: 1720 mg/kg (Rat).<br>DERMAL (LD50).<br>Acute: 1018 mg/kg (Rabbit). |
| Sodium Hydroxide | 1310-73-2 | 5-10        | OSHA (United States).<br>CEIL: 2 mg/m <sup>3</sup><br>ACGIH (United States).<br>STEL: 2 mg/m <sup>3</sup>                                                             | Not available.                                                                         |
| Water            | 7732-18-5 | 80-100      | Not available.                                                                                                                                                        | Not available.                                                                         |

**Section 3. Hazards Identification**

|                                            |                                                                                                                                                                                                                                                                                                                                     |
|--------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Routes of Entry                            | Inhalation. Skin contact. Eye contact.                                                                                                                                                                                                                                                                                              |
| Potential Acute Health Effects             | <p><u>Eyes</u> Corrosive. May cause permanent damage including blindness.</p> <p><u>Skin</u> Corrosive. May cause permanent damage.</p> <p><u>Inhalation</u> May cause irritation and corrosive effects to nose, throat and respiratory tract.</p> <p><u>Ingestion</u> Corrosive. May cause burns to mouth, throat and stomach.</p> |
| Medical Conditions                         | Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc., may be more susceptible to irritating effects.                                                                                                                                                                                  |
| See Toxicological Information (section 11) |                                                                                                                                                                                                                                                                                                                                     |

Distributed By: **KEL-SAN, INC.**  
5109 NATIONAL DR., KNOXVILLE, TN 37914

Continued on Next Page

Page: 1/4

JWX04516

**Johnson wax****BRAVO HEAVY DUTY LOW ODOR STRIPPER**

Material Safety Data Sheet

**Section 4. First Aid Measures**

|              |                                                                                                                                                                  |
|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Eye Contact  | Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Get medical attention immediately.                                      |
| Skin Contact | Flush immediately with plenty of water for at least 15 minutes. Get medical attention immediately.                                                               |
| Inhalation   | If breathing is difficult: Remove to fresh air. Get medical attention immediately.                                                                               |
| Ingestion    | Do not induce vomiting. Immediately drink one cupful of water or milk. Never give anything by mouth to an unconscious person. Get medical attention immediately. |

**Section 5. Fire Fighting Measures**

|                                               |                                                                                                                                     |
|-----------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|
| Flammability of the Product                   | None known.                                                                                                                         |
| Flash Points                                  | None known.                                                                                                                         |
| Products of Combustion                        | None Known.                                                                                                                         |
| Fire Fighting Media and Instructions          | Extinguish with water spray or carbon dioxide, dry chemical powder or appropriate foam. Normal fire fighting procedure may be used. |
| Protective Clothing (Fire)                    | Put on appropriate personal protective equipment (see Section 8).                                                                   |
| Special Remarks on Fire and Explosion Hazards | Corrosive material (See sections 8 and 10).                                                                                         |

**Section 6. Accidental Release Measures**

|                                                |                                                                                                                                                                                                                                              |
|------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Personal Precautions                           | Put on appropriate personal protective equipment (see Section 8).                                                                                                                                                                            |
| Environmental Precautions and Clean-up Methods | In the event of major spillage: Use appropriate containment to avoid environmental contamination. Sweep or scrape up material. Place in suitable clean, dry containers for disposal by approved methods. Use water rinse for final clean-up. |

**Section 7. Handling and Storage**

|          |                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Handling | Avoid contact with eyes, skin and clothing. Do not taste or swallow. Avoid breathing vapors or spray mists. Use only with adequate ventilation. Remove and wash contaminated clothing and footwear before re-use. Wash thoroughly after handling. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. <b>FOR COMMERCIAL AND INDUSTRIAL USE ONLY.</b> |
| Storage  | Keep container tightly closed. Protect from freezing. Store in a dry, cool and well-ventilated area. <b>KEEP OUT OF REACH OF CHILDREN.</b>                                                                                                                                                                                                                                                                                                             |

**Section 8. Exposure Controls/Personal Protection**

|                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Engineering Controls | Good general ventilation should be sufficient to control airborne levels. Respiratory protection is not required if good ventilation is maintained.                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Personal Protection  | <p><b>Eyes</b> Chemical splash goggles.</p> <p><b>Hands</b> Chemical resistant gloves. Includes: Neoprene gloves, Rubber gloves.</p> <p><b>Respiratory</b> If mists/vapors are not adequately controlled by ventilation, use appropriate respiratory protection to avoid over exposure. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.</p> <p><b>Feet</b> Protective footwear.</p> <p><b>Body</b> If major exposure is possible, wear suitable protective clothing and footwear.</p> |

Continued on Next Page

Page: 2/4

JWX04516

**Johnson wax**  
PROFESSIONAL**BRAVO HEAVY DUTY LOW ODOR STRIPPER**

Material Safety Data Sheet

**Section 9. Physical and Chemical Properties**

|                               |                            |
|-------------------------------|----------------------------|
| Physical State and Appearance | Liquid.                    |
| Odor                          | Blend.                     |
| Color                         | Clear                      |
| pH                            | 13.4 [Basic.] (Undiluted.) |
| Specific Gravity              | 1.1                        |
| Solubility in water           | Complete.                  |

**Section 10. Stability and Reactivity**

|                                         |                                                               |
|-----------------------------------------|---------------------------------------------------------------|
| Stability and Reactivity                | The product is stable.                                        |
| Conditions of Instability               | None known.                                                   |
| Incompatibility with Various Substances | Reactive with oxidizing agents, acids.                        |
| Hazardous Decomposition Products        | When exposed to fire: Produces normal products of combustion. |
| Hazardous Polymerization                | Will not occur.                                               |

**Section 11. Toxicological Information**

|                             |                                                                   |
|-----------------------------|-------------------------------------------------------------------|
| Acute Toxicity              | Acute oral toxicity (LD50): Estimated to be 860 mg/kg. Corrosive. |
| Effects of Chronic Exposure | None known.                                                       |
| Other Toxic Effects         | None known.                                                       |

**Section 12. Ecological Information**

Not available.

**Section 13. Disposal Considerations**

|                   |                                                                                                                                                                    |
|-------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Waste Information | Undiluted product is regulated under environmental and transportation laws as a corrosive waste. Dispose of according to all federal, state and local regulations. |
|-------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|

**Section 14. Transport Information****DOT Classification**

|                          |                                                                                             |
|--------------------------|---------------------------------------------------------------------------------------------|
| DOT Proper Shipping Name | Please refer to the Bill of Lading/receiving documents for up to date shipping information. |
|--------------------------|---------------------------------------------------------------------------------------------|

**TDG Classification**

|                          |                                                                                             |
|--------------------------|---------------------------------------------------------------------------------------------|
| TDG Proper Shipping Name | Please refer to the Bill of Lading/receiving documents for up to date shipping information. |
| TDG Class                |                                                                                             |

**Section 15. Regulatory Information**

Reporting in this section is based on ingredients disclosed in Section 2  
US Regulations:

Federal Clean Water Act (CWA) 311: Sodium hydroxide  
CERCLA: Hazardous substances.; Sodium hydroxide

Continued on Next Page

Page: 3/4

Johnson wax  
PROFESSIONAL

**BRAVO HEAVY DUTY LOW ODOR STRIPPER**

Material Safety Data Sheet

State New Jersey spill list: Sodium hydroxide  
New Jersey: Monoethanolamine, Sodium hydroxide  
Massachusetts spill list: Monoethanolamine, Sodium hydroxide  
Massachusetts RTK: Monoethanolamine, Sodium hydroxide  
Pennsylvania RTK: Monoethanolamine, Sodium hydroxide

This product is not subject to the reporting requirements under California's Proposition 65.

Registered Product Information Not applicable.

**Canadian Regulations**

WHMIS Classification CLASS E: Corrosive liquid.

WHMIS Icon



Registered Product Information Not applicable.

Chemical Inventory Status All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

**Section 16. Other Information**

Other Special Considerations Not available.

Version 1.03

**Notice to Reader**

*This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.*

JW04576