Page: 1 Printed: 09/24/2015 Revision: 02/25/2015

duct and Company Identification		
Rebound Restorer Star Maintenance 5430 Rosemead Blvd. San Gabriel, CA 91776		
(800)424-9300 maintenancesupply.com (626)268-1222		
Maintainer/Restorer For sale to, use and storage by service persons only. 0-REB12		
r		

2. Hazards Identification

Acute Toxicity: Inhalation, Category 5 Acute Toxicity: Oral, Category 5 Acute Toxicity: Skin, Category 5 Serious Eye Damage/Eye Irritation, Category 2A



GHS Signal Word:	Warning
GHS Hazard Phrases:	May be harmful if inhaled. May be harmful if swallowed. May be harmful in contact with skin. Causes serious eye irritation.
GHS Precaution Phrases:	Wash hands thoroughly after handling. Keep out of reach of children. Wear protective gloves, protective clothing, eye protection, face protection.
GHS Response Phrases:	If swallowed: Call a Poison Center or doctor if you feel unwell. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If on skin (or in hair):Gently wash with plenty of soap and water. If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
GHS Storage and Disposal Phrases:	Store in cool dry place at room temperature away from direct sunlight. Dispose of contents and container according to the local, city, state and federal regulations.
Potential Health Effects (Acute and Chronic):	
Inhalation:	May cause respiratory tract irritation.
Skin Contact:	May cause skin irritation.
Eye Contact:	Contact causes severe eye irritation.
Ingestion:	Harmful if swallowed. Irritation, abdominal pain, headache, dizziness, nausea and drowsiness.

3. Composition/Information on Ingredients				
CAS #	Hazardous Comp	oonents (Chemical Name)	Concentration	
25987-66-0	Acrylic acid polym	er	Proprietary	
111-90-0	-90-0 Diethylene glycol monoethyl ether		Proprietary	
78-51-3	Ethanol, 2-Butoxy	-, phosphate (3:1)	Proprietary	
25265-77-4	Texanol		Proprietary	
1314-13-2	Zinc oxide		Proprietary	
		4. First A	id Measures	
Emergency a Procedures:	nd First Aid			
In Case of In	halation:	Remove person to fresh ai	r and keep comfortable for breathing.	
In Case of SI	kin Contact:	Wash with plenty of soap a	and water.	
In Case of Ey	/e Contact:	Flush with water for 15 min	nutes. If irritation persists, call a physician.	
In Case of In	<b>Case of Ingestion:</b> Drink large amounts of water. Call physician.			
Note to Phys	Note to Physician: Treat symptomatically and supportively.			
		5. Fire Figh	iting Measures	
Flash Pt:		NE		
Explosive Li	mits:	LEL: No data.	UEL: No data.	
Autoignition Pt: NE				
Suitable Ext	inguishing Media	a:CO2, dry chemical, dry sa	nd, alcohol-resistant foam.	
Fire Fighting	Instructions:	As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear.		
Flammable F Hazards:	Properties and	No data available.		
6. Accidental Release Measures				
Steps To Be Material Is R Spilled:	Taken In Case eleased Or	Use proper personal protective equipment as indicated in Section 8. Absorb on sand or vermiculite and place in closed containers for disposal.		
7. Handling and Storage				
	To Be Taken in		d eyes. Wash hands thoroughly after handling. Do not ingest	
Handling:	or inhale.			
<b>Precautions To Be Taken in</b> Store in a cool, dry, well-ventilated area away from incompatible substances. <b>Storing:</b>				
	8	. Exposure Contro	ols/Personal Protection	

#### 8. Exposure Controls/Personal Protection

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
25987-66-0	Acrylic acid polymer	No data.	No data.	No data.
111-90-0	Diethylene glycol monoethyl ether	No data.	No data.	No data.
78-51-3	Ethanol, 2-Butoxy-, phosphate (3:1)	No data.	No data.	No data.
25265-77-4	Texanol	No data.	No data.	No data.
1314-13-2	Zinc oxide	PEL: 5 (fume); 15 (dust)	TLV: 2 mg/m3 (R)	No data.

Page: 3 Printed: 09/24/2015 Revision: 02/25/2015

	mg/m3 STEL: 10 mg/m3 (R)		
Respiratory Equipment	No special requirements under normal use conditions.		
(Specify Type):			
Eye Protection:	Safety glasses.		
Protective Gloves:	Rubber gloves.		
Other Protective Clothing:	Wear appropriate protective clothing to minimize contact with skin.		
Engineering Controls	No special ventilation requirements. General room ventilation is adequate.		
(Ventilation etc.):			
	9. Physical and Chemical Properties		
Physical States:	[]Gas [X]Liquid []Solid		
Appearance and Odor:	Opaque white color liquid with mild solvent odor.		
Melting Point:	NE		
Boiling Point:	> 212.00 F		
Decomposition Temperature	: NE		
Autoignition Pt:	NE		
Flash Pt:	NE		
Explosive Limits:	LEL: No data. UEL: No data.		
Specific Gravity (Water = 1):	1.020		
Density:	8.50 lbs/gal		
Bulk density:	NE		
Vapor Pressure (vs. Air or	NE		
mm Hg):			
Vapor Density (vs. Air = 1):	NE		
Evaporation Rate:	NE		
Solubility in Water:	100%		
Saturated Vapor	NE		
Concentration:			
Viscosity:	NP		
pH:	7 - 8		
Percent Volatile:	No data.		
VOC / Volume:	10.0000 G/L		
Particle Size:	NE		
Heat Value:	NE		
Corrosion Rate:	NE		
10. Stability and Reactivity			
Stability:	Unstable [ ] Stable [ X ]		
Conditions To Avoid -	None.		
Instability:			
Incompatibility - Materials To Strong oxidizers, ammonia, bleach, strong acids and strong alkali materials. Avoid:			
Hazardous Decomposition Or CO, CO2. Byproducts:			
Possibility of Hazardous Reactions:	Will occur [ ] Will not occur [ X ]		
Conditions To Avoid - Hazardous Reactions:	No data available.		

		11. Toxicologica	I Informatio	n		
Toxicological Information: No data available.   CAS# 111-90-0: CAS# 111-90-0:   Acute toxicity, LD50, Oral, Rat, 5500. MG/KG.   Results: Gastrointestinal:Ulceration or bleeding from stomach.   Gastrointestinal:Ulceration or bleeding from duodenum.   Gastrointestinal:Ulceration or bleeding from small intestine.   Journal of Industrial Hygiene and Toxicology, Vol/p/yr: 21,173, 1939						
CAS #	Hazardous Con	nponents (Chemical Name)	NTP	IARC	ACGIH	OSHA
25987-66-0	Acrylic acid poly	mer	n.a.	n.a.	n.a.	n.a.
111-90-0	Diethylene glyco	l monoethyl ether	n.a.	n.a.	n.a.	n.a.
78-51-3	Ethanol, 2-Buto	ky-, phosphate (3:1)	n.a.	n.a.	n.a.	n.a.
25265-77-4	Texanol		n.a.	n.a.	n.a.	n.a.
1314-13-2	Zinc oxide		n.a.	n.a.	n.a.	n.a.
		12. Ecological	Information			
assessment:		No data available. CAS# 111-90-0: LC50, Brine Shrimp (Artemia salina), nauplii, 10000000. UG/L, 24 H, Mortality, Water temperature: 24.00 C C. Results: No observed effect. - Brine Shrimp Bioassay and Seawater BOD of Petrochemicals, Price, K.S., G.T. Waggy, and R.A. Conway, 1974				
		13. Disposal Co	nsideration	S		
Waste Disposal Method:   Dispose of contents and container according to the local, city, state and federal regulations.			deral			
		14. Transport I	Information			
LAND TRAN	SPORT (US DO	Г):				
DOT Proper Shipping Name: Not Regulated. DOT Hazard Class: UN/NA Number:						
LAND TRANSPORT (Canadian TDG): TDG Shipping Name: Not Regulated.						
MARINE TRANSPORT (IMDG/IMO):   IMDG/IMO Shipping Name: Not Regulated.   AIR TRANSPORT (ICAO/IATA):   ICAO/IATA Shipping Name: Not Regulated.						

# **15. Regulatory Information**

CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists
25987-66-0	Acrylic acid polymer	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No
111-90-0	Diethylene glycol monoethyl ether	CAA HAP,ODC: HAP; CWA NPDES: No; TSCA: Yes - Inventory, 8D TERM; CA PROP.65: No; CA TAC, Title 8: TAC
78-51-3	Ethanol, 2-Butoxy-, phosphate (3:1)	CAA HAP,ODC: HAP; CWA NPDES: No; TSCA: Yes - Inventory, 8A PAIR, 8C, 8D TERM; CA PROP.65: No; CA TAC, Title 8: TAC
25265-77-4	Texanol	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No
1314-13-2	Zinc oxide	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: TAC, Title 8

