

MATERIAL SAFETY DATA SHEET

5100 W. Henrietta Rd. West Henrietta, NY 14586 TEL: (866) 260-0501

MSDS No. 9440206 9440306 Effective Date: October 28, 2002

SECTION	I NAME	24 HOUR EMERGENCY ASSISTA	NCE
Product	Zinc Oxide	416-984-3000 Health	2
Chemical Synonyms	Chinese White; Zinc White	NFPA 1 0 Flammability	0
Formula	ZnO	Reactivity HAZARD RATING WHMIS	0
CAS No.	1314-13-2	LEAST SLIGHT MODERATE HIGH EXT	REME 4

SECTION II	DANGEROUS INGREDIENTS		
Name		%	TLV Units
Zinc oxide	>(99.9%	TWA: 10 mg/m ³ as dust
WARNING!			

SECTION III	PHYSICAL DATA	A	ALLIA DAVIDA LA CA
Melting Point (°C)	Sublimes @ 1975°C	Specific Gravity (H ₂ O = 1)	5.1
Boiling Point (°C)	N/A	Percent Volatile by Volume (%)	N/A
Vapor Pressure (mm Hg)	N/A	Evaporation Rate (=1)	N/A
Vapor Density (Air=1)	N/A		
Solubility in Water	Insoluble.		
Appearance & Odor	White crystalline powder; no odor.		

SECTION IV		ND EXPLOSION HAZARD	DATA	Red Car
Flash point	Not flammable.	Flammable Limits in Air % by Volume N/A	Lower	Upper
Firefighting				

Use dry chemical, CO₂, alcohol foam, or water spray. In fire conditions, fire-fighters should wear an appropriate mask or a self-containing breathing apparatus.

Flammability and Explosion Hazards

Fire may produce irritating, corrosive and/or toxic fumes.

I	TDG	Not a TDG controlled material.
---	-----	--------------------------------

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. For laboratory use only. Not for drug, food or household use. Keep out of reach of children. Printed on recycled paper.

SECTION V	REACTIVITY DATA ZZ0100		
Chemical Stability	Yes X If no. under what conditions?		
Incompatible with Other products	Yes X No Chlorinated rubber above 216°C, active metals, e.g. magnesium.		
Hazardous Decomposition Products	Zinc oxide fumes.		
Reactive under what conditions	Sublimes when heated.		
SECTION VI	TOXICOLOGICAL PROPERTIES		
Route of Entry	Inhalation. Ingestion.		
TLV	TWA: 5 mg/m³; STEL: 10 mg/m³ as fume TWA: 10 mg/m³ as dust. (ACGIH 2001)		
Toxicity for animals	Not available.		
Chronic effects on humans	There are no known effects from chronic exposure to this product. Target organs: None known.		
Acute effects on humans	Harmful if inhaled as dust or fume. Contact may cause irritation to the eyes and mucous membranes.		
SECTION VII	PREVENTIVE MEASURES		
Waste Disposal	Discharge, treatment, or disposal may be subject to local laws. Consult your local or regional authorities.		
Storage	Keep container in a cool, well ventilated place. Keep away from heat. Keep away from incompatible materials.		
Precautions	Avoid contact with skin and eyes. Do not breathe dust. Use with adequate ventilation. Inot ingest. If ingested, seek immediate medical attention.		
Spill or leak	Use appropriate tools to put the spilled solid in a convenient waste disposal container. Wash spill area with soap and water.		
Protective Clothing	Gloves, safety glasses, lab coat, dust respirator.		
SECTION VIII	FIRST AID MEASURES		
Specific first aid measures	Ingestion: Call physician or Poison Control Center immediately. Induce vomiting only if advised by the appropriate medical personnel. Eye contact: Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keepir eyelids open. Seek medical attention. Skin contact: Gently and thoroughly wash the contaminated skin with running water and non-abrasive soap. Inhalation: Move victim to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Allow victim to rest in a well ventilated area. Seek immediate medical attention.		

PREPARATION OF THE MSDS

Approved Michael Raszeja

SECTION IX

Rev. No. 2 Date October 28, 2002